



Read entire manual before beginning installation process.

Disclaimer: Straightline Performance is not responsible for any damage due to improper installation.

Straightline Backup Lights Straightlineperformance.com Polaris Sportsman Reverse Light Tech@straightlineperformance.com

<sup>287-117, 287-118</sup> 1 of 5

# Step 1: Remove Plastics

- 1) Remove center plastic in cargo compartment to access bus bar using T-25 Torx bit.
- 2) Remove clutch side panel (two plastic rivets).






Step 2: Connect Diagnostic Connector & Power Leads

- 1) Remove diagnostic connector cover and plug integrated connector into reverse light wiring harness.
- 2) Connect positive lead to positive terminal of bus bar and negative lead to negative terminal.





Straightline Backup Lights Straightlineperformance.com

287-117, 287-118

Polaris Sportsman Reverse Light Tech@straightlineperformance.com

2 of 5

### Step 3: Mount Controller, Relay, & Fuse

 Secure controller, relay, and fuse. Suggested method is to use drilling template and tighten components with provided machine screws.





## Step 4: Mount Light

- Attach the light to its bracket. Be sure to slide the bolt through the bracket before attaching to light. Attach light bracket to mounting bracket.
- 2) Remove nut on the right side and fix left side with provided 1-1/2" bolt.





Straightline Backup Lights Straightlineperformance.com

Polaris Sportsman Reverse Light <a href="mailto:support@samsbackuplights.com">support@samsbackuplights.com</a>

# Step 5: Route Power to Light

- 1) Run wire and connector along stock wiring harness back to reverse light, while zip-tying the wire as needed.
- 2) Plug in the reverse light





Step 6: Reinstall Plastics



Straightline Backup Lights Straightlineperformance.com

287-117, 287-118

Polaris Sportsman Reverse Light Tech@straightlineperformance.com 4 of 5



#### **Operation of Reverse Lights**

Our controllers have been programmed with a manual override feature. Back-up lights may be turned on without the vehicle in reverse.

#### Fully Automatic When Shifted to Reverse

1. No programming needed

#### Manual Override Function

- 1. Shift the vehicle into neutral
- 2. Press reverse-override button once. The reverse light will turn on and remain on.

\*To turn the light off repeat this procedure.

**Note:** If the ignition is turned off while the vehicle is in reverse, or the manual override function is enabled, the lights will remain ON until the ECU enters sleep mode (approximately 30 seconds - 2

minutes depending on vehicle and ECU type).

Part Number	Description	Quantity	In Box
POL-ATV-V4.11	Polaris controller	1	
HDZ10	zip ties, zip tie length 4.5"	10	
PolBU-1	60" wire harness single connector battery terms	1	
PolVA-2	Polaris Diagnostics Adapter	1	
PolCA-1	4" jumper from harness to controller	1	
Light - R6-1	Lights	1	
Light-R6H-1	hardware kit included with 6" light	1	
Sticker	2 stickers	2	

Straightline Backup Lights Straightlineperformance.com Polaris Sportsman Reverse Light Tech@straightlineperformance.com